


WOODEN WD1436

PLAYGROUND EQUIPMENT



|                                    |                      |
|------------------------------------|----------------------|
| Safety zone                        | 29,95 m <sup>2</sup> |
| Length                             | 3,59 m               |
| Width                              | 3,11 m               |
| Total height                       | 2,77 m               |
| Free fall height                   | 0,90 m               |
| Age range                          | 1-8 years            |
| In accordance PN-EN standards      | 1176-1:2017          |
| Weight of the heaviest part [kg]   | 22                   |
| Dimension of the biggest part [cm] | 257x9x9              |
| Availability of spare parts        | Yes                  |



**MATERIAL SPECIFICATION**

- 90x90 mm main construction made of impregnated, laminated wood of pine;
- Metal anchors are made of hot dip galvanized steel, protecting the wood from direct contact with the ground to prevent rot and extending the product's life;
- Durable, anti-slip and waterproof platforms and climbing walls made of HPL;
- Platforms made of metal, hot-drip galvanized and powder coated;
- Roofs and panels are made of atmospheric condition resistant HPL plates;
- Screws covered with plastic caps or made of stainless steel;
- Stainless steel bars and handrails;
- Slides made of stainless steel;
- Steel ropes braided with PP, connected by durable plastic elements;
- Calibrated chain, preventing fingers from getting trapped;
- Climbing grips made of polyethylene board HDPE;

**ADDITIONAL COMMENTS**

- Depth of foundations on a flat surface 80/70/60 cm;
- No sharp edges or chinks that would pose a danger of jimming the head, fingers or any other body parts;
- The equipment is designed for public playgrounds;
- The equipment render is of an illustrative nature and shows only the general specification of the equipment, but not actual appearance;
- Slides should not be installed southwards;
- The equipment is certified by an accrediting organization or by certificate of conformity;

**SURFACES**

Due to the free fall height of the equipment, the PN-EN 1176-1:2017 standard allows the following surfaces: turf/ soil (A,B,C), sand with minimal layer thickness of 30 cm (A,C), synthetic material approved for free fall of 0,90 m (A,B,C).

